



New Zealand Gazette

TUESDAY, 8 NOVEMBER 2016 — No. 100

CONTENTS

GOVERNMENT NOTICES

Customs

3

Using the Gazette

The *New Zealand Gazette*, the official newspaper of the Government of New Zealand, is published online on Thursdays between 10.00am and 11.00am.

The online version is the official publication and authoritative constitutional record.

Notice Submissions and Style

Notices for publication and related correspondence should be addressed to

New Zealand Gazette
Department of Internal Affairs
PO Box 805
Wellington 6140
Telephone: (04) 462 0313 / (04) 462 0312
Email: gazette@dia.govt.nz

Notices are accepted for publication in the next available issue, unless otherwise specified.

Microsoft Word is the preferred format for notice submissions. Please do not send notices as PDFs as errors can be introduced when converting to Word. Image files should be in JPG or PNG format.

The Gazette Office reserves the right to apply its in-house style to all notices. Any corrections which are related to style will be made at the discretion of the publisher for reasons of consistency.

Please go to www.gazette.govt.nz/howtosubmit/ for more information.

Deadlines

The deadline for submitting notices for publication in the principal edition is **midday Monday for commercial notices** and **midday Tuesday for Government notices**, in the week of publication.

The deadline for cancelling notices in the principal edition is **12.00 midday Wednesday**. Please call the Gazette Office immediately to cancel a notice, and confirm by email. A cancellation fee applies.

For further information and for public holiday deadlines, please go to www.gazette.govt.nz/deadlines/

Advertising Rates

Fees	\$0.68 per word to a maximum of 5,000 words \$3,400 fixed fee for notices above 5,000 words (includes 5 hours processing time) \$140 per hour for processing time over 5 hours Plus printing and delivery costs (if required)
Images	\$50 per image
Supplement set-up fee	\$140
Late fee*	20% surcharge
Cancellation fee	\$55

*Late notices may be accepted at the discretion of the publisher.

Customers will be invoiced in accordance with standard commercial practices. Advertising rates are not negotiable. All rates shown are inclusive of GST.

Availability

New Zealand Gazette notices are published directly online at www.gazette.govt.nz

All editions are also available on subscription from the New Zealand Gazette Office, Department of Internal Affairs, PO Box 805, Wellington 6140 (telephone: (04) 462 0313).

Copyright

© The *New Zealand Gazette* is subject to Crown copyright.

GOVERNMENT NOTICES

Customs

Tariff (Statistical Requirements) Amendment Notice (No. 4) 2016

Pursuant to section 10(2) of the Tariff Act 1988, and acting under delegated authority from the Minister of Commerce, the Chief Customs Officer, Valuation, Origin and Classification of the New Zealand Customs Service gives the following notice.

Notice

1. **Title**—This notice is the Tariff (Statistical Requirements) Amendment Notice (No. 4) 2016.
2. **Commencement**—This notice comes into effect on **1 January 2017**.
3. **Certain statistical keys of certain Tariff items amended**—The Tariff is hereby amended by revoking the statistical keys represented by Tariff items and codes 7210.49.11 00G, 7210.49.19 01F, 7210.49.19 09A, 7210.49.31 01F, 7210.49.31 09A, 7210.49.31 11C, 7210.49.31 19J, 7210.49.31 21L, 7210.49.31 29F, 7210.49.31 39C, 7210.49.39 01G, 7210.49.39 09B, 7210.49.39 11D, 7210.49.39 19K, 7210.49.39 21A, 7210.49.39 29G, 7210.49.39 39D, 7212.30.01 11J, 7212.30.01 21F, 7212.30.01 29A, 7212.30.01 31C, 7212.30.01 39J, 7212.30.01 49F, 7212.30.19 01H, 7212.30.19 09C, 7212.30.19 19L, 7212.50.09 01K, 7212.50.09 09E, 7306.30.19 11G, 7306.30.19 19B, 7306.30.19 21D, 7306.30.19 29K, 7306.30.19 39G, 7306.61.00 19E, 7306.61.00 23C, 7306.61.00 25K, 7306.61.00 27F, 7306.61.00 29B, 7306.61.00 31D, 7306.61.00 33L, 7306.61.00 35G, 7306.61.00 37C, 7306.61.00 39K, 7306.61.00 49G, 7318.11.00 01H, 7318.11.00 09C, 7318.12.00 00D, 7318.13.00 00J, 7318.14.00 00C, 7318.15.01 00D, 7318.15.09 01C, 7318.15.09 11L, 7318.15.09 19F, 7318.15.09 21H, 7318.15.09 29C, 7318.15.09 39L, 7318.16.00 01L, 7318.16.00 09F, 7318.19.01 00B, 7318.19.09 00C, 7318.21.00 00C, 7318.22.00 00H, 7318.23.00 00B, 7318.24.00 00G, and 7318.29.00 00K and substituting the statistical keys specified in the Schedule to this notice.

SCHEDULE

Statistical Keys Substituted

Number	Statistical Key		Goods
	Code	Unit	

7210.49.11

		----- Coiled
	 Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
	 Painted, lacquered or similarly coated:
10D	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
15E	kg Of a thickness of 3.0mm or more but less than 4.75mm
19H	kg Of a thickness of 4.75mm or more
	 Plastic laminated:
21K	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
25B	kg Of a thickness of 3.0mm or more but less than 4.75mm
29E	kg Of a thickness of 4.75mm or more
	 Other:
31G	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
35K	kg Of a thickness of 3.0mm or more but less than 4.75mm
39B	kg Of a thickness of 4.75mm or more
	 Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
	 Painted, lacquered or similarly coated:
41D	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
45G	kg Of a thickness of 3.0mm or more but less than 4.75mm
49K	kg Of a thickness of 4.75mm or more
	 Plastic laminated:
51A	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
55D	kg Of a thickness of 3.0mm or more but less than 4.75mm
59G	kg Of a thickness of 4.75mm or more
	 Other:
61J	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
65A	kg Of a thickness of 3.0mm or more but less than 4.75mm
69D	kg Of a thickness of 4.75mm or more
	 Other:
	 Painted, lacquered or similarly coated:
71F	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
75J	kg Of a thickness of 3.0mm or more but less than 4.75mm
79A	kg Of a thickness of 4.75mm or more
	 Other:
81C	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
85F	kg Of a thickness of 3.0mm or more but less than 4.75mm
89J	kg Of a thickness of 4.75mm or more

7210.49.19

		----- Other
	 Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
	 Painted, lacquered or similarly coated:
10E	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
15F	kg Of a thickness of 3.0mm or more but less than 4.75mm
19J	kg Of a thickness of 4.75mm or more
	 Plastic laminated:
21L	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
25C	kg Of a thickness of 3.0mm or more but less than 4.75mm
29F	kg Of a thickness of 4.75mm or more
	 Other:
31H	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
35L	kg Of a thickness of 3.0mm or more but less than 4.75mm
39C	kg Of a thickness of 4.75mm or more
	 Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
	 Painted, lacquered or similarly coated:
41E	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
45H	kg Of a thickness of 3.0mm or more but less than 4.75mm
49L	kg Of a thickness of 4.75mm or more
	 Plastic laminated:
51B	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
55E	kg Of a thickness of 3.0mm or more but less than 4.75mm
59H	kg Of a thickness of 4.75mm or more
	 Other:
61K	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
65B	kg Of a thickness of 3.0mm or more but less than 4.75mm
69E	kg Of a thickness of 4.75mm or more
	 Other:
	 Painted, lacquered or similarly coated:
71G	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
75K	kg Of a thickness of 3.0mm or more but less than 4.75mm
79B	kg Of a thickness of 4.75mm or more
	 Other:
81D	kg Of a thickness exceeding 1.9mm or more but less than 3.0mm
85G	kg Of a thickness of 3.0mm or more but less than 4.75mm
89K	kg Of a thickness of 4.75mm or more

7210.49.31

		----- Coiled
	 Not further clad, plated or coated:
	 Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:

10E	kg	Of a thickness of less than 0.4mm
13K	kg	Of a thickness of 0.4mm or more but less than 0.5mm
15F	kg	Of a thickness of 0.5mm or more but less than 0.7mm
17B	kg	Of a thickness of 0.7mm or more but less than 1.0mm
23G	kg	Of a thickness of 1.0mm or more but less than 1.6mm
25C	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
27K	kg	Of a thickness of less than 0.4mm
31H	kg	Of a thickness of 0.4mm or more but less than 0.5mm
33D	kg	Of a thickness of 0.5mm or more but less than 0.7mm
35L	kg	Of a thickness of 0.7mm or more but less than 1.0mm
37G	kg	Of a thickness of 1.0mm or more but less than 1.6mm
41E	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Other:
43A	kg	Of a thickness of less than 0.4mm
45H	kg	Of a thickness of 0.4mm or more but less than 0.5mm
47D	kg	Of a thickness of 0.5mm or more but less than 0.7mm
49L	kg	Of a thickness of 0.7mm or more but less than 1.0mm
51B	kg	Of a thickness of 1.0mm or more but less than 1.6mm
53J	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Painted, lacquered or similarly coated:
55E	kg	Of a thickness of less than 0.4mm
57A	kg	Of a thickness of 0.4mm or more but less than 0.5mm
59H	kg	Of a thickness of 0.5mm or more but less than 0.7mm
61K	kg	Of a thickness of 0.7mm or more but less than 1.0mm
63F	kg	Of a thickness of 1.0mm or more but less than 1.6mm
65B	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Plastic laminated:
67J	kg	Of a thickness of less than 0.4mm
69E	kg	Of a thickness of 0.4mm or more but less than 0.5mm
71G	kg	Of a thickness of 0.5mm or more but less than 0.7mm
73C	kg	Of a thickness of 0.7mm or more but less than 1.0mm
75K	kg	Of a thickness of 1.0mm or more but less than 1.6mm
79B	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Other:
81D	kg	Of a thickness of less than 0.4mm
83L	kg	Of a thickness of 0.4mm or more but less

			than 0.5mm
85G	kg	Of a thickness of 0.5mm or more but less than 0.7mm
87C	kg	Of a thickness of 0.7mm or more but less than 1.0mm
89K	kg	Of a thickness of 1.0mm or more but less than 1.6mm
99G	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm

7210.49.39

			----- Other
		 Not further clad, plated or coated:
		 Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
10F	kg	Of a thickness of less than 0.4mm
13L	kg	Of a thickness of 0.4mm or more but less than 0.5mm
15G	kg	Of a thickness of 0.5mm or more but less than 0.7mm
17C	kg	Of a thickness of 0.7mm or more but less than 1.0mm
23H	kg	Of a thickness of 1.0mm or more but less than 1.6mm
25D	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		 Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
27L	kg	Of a thickness of less than 0.4mm
31J	kg	Of a thickness of 0.4mm or more but less than 0.5mm
33E	kg	Of a thickness of 0.5mm or more but less than 0.7mm
35A	kg	Of a thickness of 0.7mm or more but less than 1.0mm
37H	kg	Of a thickness of 1.0mm or more but less than 1.6mm
41F	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		 Other:
43B	kg	Of a thickness of less than 0.4mm
45J	kg	Of a thickness of 0.4mm or more but less than 0.5mm
47E	kg	Of a thickness of 0.5mm or more but less than 0.7mm
49A	kg	Of a thickness of 0.7mm or more but less than 1.0mm
51C	kg	Of a thickness of 1.0mm or more but less than 1.6mm
53K	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		 Painted, lacquered or similarly coated:
55F	kg	Of a thickness of less than 0.4mm
57B	kg	Of a thickness of 0.4mm or more but less than 0.5mm
59J	kg	Of a thickness of 0.5mm or more but less than 0.7mm
61L	kg	Of a thickness of 0.7mm or more but less than 1.0mm
63G	kg	Of a thickness of 1.0mm or more but less than 1.6mm
65C	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		 Plastic laminated:
67K	kg	Of a thickness of less than 0.4mm
69F	kg	Of a thickness of 0.4mm or more but less than 0.5mm

71H	kg	Of a thickness of 0.5mm or more but less than 0.7mm
73D	kg	Of a thickness of 0.7mm or more but less than 1.0mm
75L	kg	Of a thickness of 1.0mm or more but less than 1.6mm
79C	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm
		Other:
81E	kg	Of a thickness of less than 0.4mm
83A	kg	Of a thickness of 0.4mm or more but less than 0.5mm
85H	kg	Of a thickness of 0.5mm or more but less than 0.7mm
87D	kg	Of a thickness of 0.7mm or more but less than 1.0mm
89L	kg	Of a thickness of 1.0mm or more but less than 1.6mm
99H	kg	Of a thickness of 1.6mm or more but not exceeding 1.9mm

7212.30.01

			-- Not exceeding 500mm in width
		...	Other:
		Coiled:
		Not further clad, plated or coated:
		Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
10L	kg	Of a thickness of less than 0.4mm
12G	kg	Of a thickness of 0.4mm or more but less than 0.5mm
13E	kg	Of a thickness of 0.5mm or more but less than 0.7mm
14C	kg	Of a thickness of 0.7mm or more but less than 1.0mm
15A	kg	Of a thickness of 1.0mm or more but less than 1.6mm
16K	kg	Of a thickness of 1.6mm or more but less than 1.9mm
17H	kg	Of a thickness of 1.9mm or more but less than 3.0mm
18F	kg	Of a thickness of 3.0mm or more but less than 4.75mm
19D	kg	Of a thickness of 4.75mm or more Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
20H	kg	Of a thickness of less than 0.4mm
22D	kg	Of a thickness of 0.4mm or more but less than 0.5mm
23B	kg	Of a thickness of 0.5mm or more but less than 0.7mm
24L	kg	Of a thickness of 0.7mm or more but less than 1.0mm
25J	kg	Of a thickness of 1.0mm or more but less than 1.6mm
26G	kg	Of a thickness of 1.6mm or more but less than 1.9mm
27E	kg	Of a thickness of 1.9mm or more but less than 3.0mm
30E	kg	Of a thickness of 3.0mm or more but less than 4.75mm
32A	kg	Of a thickness of 4.75mm or more Other:
33K	kg	Of a thickness of less than 0.4mm
34H	kg	Of a thickness of 0.4mm or more but less than 0.5mm
35F	kg	Of a thickness of 0.5mm or more but less than 0.7mm

36D	kg Of a thickness of 0.7mm or more but less than 1.0mm
37B	kg Of a thickness of 1.0mm or more but less than 1.6mm
38L	kg Of a thickness of 1.6mm or more but less than 1.9mm
40B	kg Of a thickness of 1.9mm or more but less than 3.0mm
41L	kg Of a thickness of 3.0mm or more but less than 4.75mm
42J	kg Of a thickness of 4.75mm or more Painted, lacquered or similarly coated: Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
43G	kg Of a thickness of less than 0.4mm
44E	kg Of a thickness of 0.4mm or more but less than 0.5mm
45C	kg Of a thickness of 0.5mm or more but less than 0.7mm
46A	kg Of a thickness of 0.7mm or more but less than 1.0mm
47K	kg Of a thickness of 1.0mm or more but less than 1.6mm
48H	kg Of a thickness of 1.6mm or more but less than 1.9mm
50K	kg Of a thickness of 1.9mm or more but less than 3.0mm
51H	kg Of a thickness of 3.0mm or more but less than 4.75mm
52F	kg Of a thickness of 4.75mm or more Containing in the plating or coating, more than 80% by weight, alloyed with aluminium:
53D	kg Of a thickness of less than 0.4mm
54B	kg Of a thickness of 0.4mm or more but less than 0.5mm
55L	kg Of a thickness of 0.5mm or more but less than 0.7mm
56J	kg Of a thickness of 0.7mm or more but less than 1.0mm
57G	kg Of a thickness of 1.0mm or more but less than 1.6mm
58E	kg Of a thickness of 1.6mm or more but less than 1.9mm
59C	kg Of a thickness of 1.9mm or more but less than 3.0mm
60G	kg Of a thickness of 3.0mm or more but less than 4.75mm
61E	kg Of a thickness of 4.75mm or more Other:
62C	kg Of a thickness of less than 0.4mm
63A	kg Of a thickness of 0.4mm or more but less than 0.5mm
64K	kg Of a thickness of 0.5mm or more but less than 0.7mm
65H	kg Of a thickness of 0.7mm or more but less than 1.0mm
66F	kg Of a thickness of 1.0mm or more but less than 1.6mm
67D	kg Of a thickness of 1.6mm or more but less than 1.9mm
68B	kg Of a thickness of 1.9mm or more but less than 3.0mm
69L	kg Of a thickness of 3.0mm or more but less than 4.75mm
70D	kg Of a thickness of 4.75mm or more Plastic laminated:

71B	kg Exceeding 1.9mm in thickness
72L	kg Other
	 Other:
73J	kg Of a thickness of less than 0.4mm
74G	kg Of a thickness of 0.4mm or more but less than 0.5mm
75E	kg Of a thickness of 0.5mm or more but less than 0.7mm
76C	kg Of a thickness of 0.7mm or more but less than 1.0mm
77A	kg Of a thickness of 1.0mm or more but less than 1.6mm
78K	kg Of a thickness of 1.6mm or more but less than 1.9mm
79H	kg Of a thickness of 1.9mm or more but less than 3.0mm
80A	kg Of a thickness of 3.0mm or more but less than 4.75mm
81K	kg Of a thickness of 4.75mm or more
	 Other:
82H	kg Of a thickness of less than 0.4mm
83F	kg Of a thickness of 0.4mm or more but less than 0.5mm
84D	kg Of a thickness of 0.5mm or more but less than 0.7mm
85B	kg Of a thickness of 0.7mm or more but less than 1.0mm
86L	kg Of a thickness of 1.0mm or more but less than 1.6mm
87J	kg Of a thickness of 1.6mm or more but less than 1.9mm
88G	kg Of a thickness of 1.9mm or more but less than 3.0mm
89E	kg Of a thickness of 3.0mm or more but less than 4.75mm
99B	kg Of a thickness of 4.75mm or more

7212.30.19

		---- Other
	 Coiled:
	 Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
10G	kg Of a thickness exceeding 1.9mm but less than 3.0mm
13A	kg Of a thickness of 3.0mm or more but less than 4.75mm
17D	kg Of a thickness of 4.75mm or more
	 Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium:
21B	kg Of a thickness exceeding 1.9mm but less than 3.0mm
25E	kg Of a thickness of 3.0mm or more but less than 4.75mm
29H	kg Of a thickness of 4.75mm or more
	 Other:
31K	kg Of a thickness exceeding 1.9mm but less than 3.0mm
35B	kg Of a thickness of 3.0mm or more but less than 4.75mm
39E	kg Of a thickness of 4.75mm or more
	 Other:
41G	kg Exceeding 4.75mm in thickness, not in coils
49B	kg Other

7212.50.09

		--- Other
	 Coiled:
10J	kg Of a thickness not exceeding 0.4mm
13C	kg Of a thickness of 0.4mm or more but less than 0.5mm
15K	kg Of a thickness of 0.5mm or more but less than 0.7mm
17F	kg Of a thickness of 0.7mm or more but less than 1.0mm
19B	kg Of a thickness of 1.0mm or more but less than 1.6mm
21D	kg Of a thickness of 1.6mm or more but less than 1.9mm
23L	kg Of a thickness of 1.9mm or more but less than 3.0mm
25G	kg Of a thickness of 3.0mm or more but less than 4.75mm
29K	kg Of a thickness of 4.75mm or more
39G	kg Other

7306.30.19

		-- Other
	 Plated or coated with zinc:
	 Screwed:
23L	kg Of a nominal internal diameter less than 102mm
25G	kg Of a nominal internal diameter of 102mm or more but less than 229mm
27C	kg Other
	 Unscrewed:
31A	kg Of a nominal internal diameter less than 102mm
35D	kg Of a nominal internal diameter of 102mm or more but less than 229mm
37I	kg Other
	 Plated or coated with other metals:
	 Screwed:
41J	kg Of a nominal internal diameter less than 102mm
45A	kg Of a nominal internal diameter of 102mm or more but less than 229mm
49D	kg Other
	 Unscrewed:
51F	kg Of a nominal internal diameter less than 102mm
55J	kg Of a nominal internal diameter of 102mm or more but less than 229mm
59A	kg Other
	 Painted, lacquered or similarly coated:
	 Screwed:
61C	kg Of a nominal internal diameter less than 102mm
65F	kg Of a nominal internal diameter of 102mm or more but less than 229mm
69J	kg Other
	 Unscrewed:
71L	kg Of a nominal internal diameter less than 102mm
75C	kg Of a nominal internal diameter of 102mm or more but less than 229mm
79F	kg Other
	 Other:
	 Screwed:
81H	kg Of a nominal internal diameter less than 102mm
85L	kg Of a nominal internal diameter of 102mm or more but less than 229mm
89C	kg Other
	 Unscrewed:
91E	kg Of a nominal internal diameter less than 102mm
95H	kg Of a nominal internal diameter of 102mm or more but less than 229mm
99L	kg Other

7306.61.00

		-- Of square or rectangular cross-section
	 Plated or coated with zinc:
51J	kg Of a wall thickness not exceeding 2.6mm
53E	kg Other
	 Plated or coated with other metals:
54C	kg Of a wall thickness not exceeding 2.6mm
55A	kg Other
	 Painted, lacquered or similarly coated:
56K	kg Of a wall thickness not exceeding 2.6mm
57H	kg Other
	 Other:
58F	kg Of a wall thickness not exceeding 2.6mm
59D	kg Other
	 Of a maximum dimension of 102mm or more but less than 128mm:
	 Stainless steel:
61F	kg Of a wall thickness not exceeding 2.6mm
62D	kg Other
	 Plated or coated with zinc:
63B	kg Of a wall thickness not exceeding 2.6mm
64L	kg Other
	 Plated or coated with other metals:
65J	kg Of a wall thickness not exceeding 2.6mm
66G	kg Other
	 Painted, lacquered or similarly coated:
67E	kg Of a wall thickness not exceeding 2.6mm
68C	kg Other
	 Other:
69A	kg Of a wall thickness not exceeding 2.6mm
70E	kg Other
	 Of a maximum dimension of 128mm or more but less than 229mm:
	 Stainless steel:
71C	kg Of a wall thickness not exceeding 2.6mm
72A	kg Other
	 Plated or coated with zinc:
73K	kg Of a wall thickness not exceeding 2.6mm
74H	kg Other
	 Plated or coated with other metals:
75F	kg Of a wall thickness not exceeding 2.6mm
76D	kg Other
	 Painted, lacquered or similarly coated:
77B	kg Of a wall thickness not exceeding 2.6mm
78L	kg Other
	 Other:
79J	kg Of a wall thickness not exceeding 2.6mm
80B	kg Other
81L	kg Other
		... Other:
	 Of a nominal internal diameter less than 102mm:
	 Stainless steel:
82J	kg Of a wall thickness not exceeding 2.6mm
83G	kg Other
84E	kg Other
85C	kg Of a nominal internal diameter of 102mm or more but less than 229mm
89F	kg Other

7318.11.00			-- Coach screws
			... Of stainless steel:
	10G	kg Socket head screws
	19L	kg Other
			... Other:
	21B	kg Socket head screws
	29H	kg Other
7318.12.00			-- Other wood screws
	10A	kg	... Of stainless steel
	19E	kg	... Other
7318.13.00			-- Screw hooks and screw rings
	10F	kg	... Of stainless steel
	19K	kg	... Other
7318.14.00			-- Self-tapping screws
	10L	kg	... Of stainless steel
	19D	kg	... Other
7318.15.01			--- Screw studs and studding
	10A	kg	... Of stainless steel
	19E	kg	... Other
7318.15.09			--- Other
		 Of stainless steel:
		 Bolts and bolt ends:
	10B	kg Forged
		 Other:
	15C	kg High tensile
	25L	kg Other
		 Other screws:
		 Metal thread or machine forged; set screws:
	27G	kg Socket head screws
	31E	kg Other
	35H	kg Other
		 Other:
		 Bolts and bolt ends:
	37D	kg Forged
		 Other:
	41B	kg High tensile
	43J	kg Other
		 Other screws:
		 Metal thread or machine forged; set screws:
	45E	kg Socket head screws
	47A	kg Other
	49H	kg Other

7318.16.00			-- Nuts
			... Of stainless steel:
	10K	kg	... Square or hexagonal, made by pressing or forging
	13D	kg	... Other
			... Other:
	15L	kg	... Square or hexagonal, made by pressing or forging
	19C	kg	... Other
7318.19.01			--- Threaded spikes and studs for footwear
	10K	kg	... Of stainless steel
	19C	kg	... Other
7318.19.09			--- Other
	10L	kg	... Of stainless steel
	19D	kg	... Other
7318.21.00			-- Spring washers and other lock washers
	10L	kg	... Of stainless steel
	19D	kg	... Other
7318.22.00			-- Other washers
	10E	kg	... Of stainless steel
	19J	kg	... Other
7318.23.00			-- Rivets
	10K	kg	... Of stainless steel
	19C	kg	... Other
7318.24.00			-- Cotters and cotter-pins
	10D	kg	... Of stainless steel
	19H	kg	... Other
7318.29.00			-- Other
	10G	kg	... Of stainless steel
	19L	kg	... Other

Dated at Auckland this 25th day of May 2016.

ALAN MASTERS, Chief Customs Officer, Revenue and Assurance, New Zealand Customs Service, acting under delegated authority.

Explanatory note

This notice amends the statistical key codes, unit and descriptions of the Tariff items specified in this notice and have been put in place to enable monitoring of the imports and exports of the goods described.

2016-cu6136